

Serial No.: 10/605,937
Art Unit: 3747
Examiner: KAMEN, Noah P.
Page 2 of 6

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. **(Currently Amended)** A flywheel assembly comprising:
 a flywheel having a hub for mounting the flywheel to a crankshaft of an engine,
and an outer diameter ~~and constructed to be attached to an engine~~;
 a first ring attached to the flywheel about the outer diameter thereof; and
 a second ring attached to the first ring and formed of a material different from that
of the first ring.
2. **(Previously Presented)** The flywheel assembly of claim 1 wherein the first
ring is made of a ferrous material and the second ring is made of an elastomer material.
3. **(Currently Amended)** The flywheel assembly of claim 2 wherein the
second ring is integrally formed to the first ring thereby forming a subassembly.
4. **(Currently Amended)** The flywheel assembly of claim 3 wherein the first
~~and second rings are~~ subassembly is press fit to the flywheel.
5. **(Currently Amended)** The flywheel assembly of claim 1 wherein the first
ring is isolated from direct contact with the flywheel by the second ring.
6. **(Original)** The flywheel assembly of claim 1 wherein the second ring is
designed to deform to dampen vibrations generated by torsional resonance of an engine
during rotation of the flywheel assembly.
7. **(Original)** The flywheel assembly of claim 1 incorporated into an internal
combustion engine.

Serial No.: 10/605,937
Art Unit: 3747
Examiner: KAMEN, Noah P.
Page 3 of 6

8. **(Original)** The flywheel assembly of claim 7 wherein the flywheel assembly is constructed to generate a torsional resonance that counteracts a corresponding torsional resonance of the internal combustion engine.
9. **(Original)** The flywheel assembly of claim 7 wherein the internal combustion engine is incorporated into a watercraft.
10. **(Currently Amended)** A flywheel assembly comprising:
a ring having an inner surface;
a flywheel having an outer diameter and an opening for mounting to a crankshaft of an engine; and
an elastomer ring having a first side attached to the outer diameter of the flywheel and a second side attached to inner surface of the ring thereby separating the ring from the flywheel.
11. **(Original)** The flywheel assembly of claim 10 wherein the elastomer ring is bonded to the inner surface of the ring.
12. **(Original)** The flywheel assembly of claim 10 wherein the ring is constructed to press fit onto the flywheel with the elastomer ring positioned therebetween.
13. **(Previously Presented)** The flywheel assembly of claim 10 wherein the flywheel further comprises a plurality of teeth disposed about a perimeter thereof and constructed to engage a starter gear.
14. **(Original)** The flywheel assembly of claim 10 wherein the elastomer ring dampens torsional resonance of the engine.
15. **(Previously Presented)** The flywheel assembly of claim 10 wherein the ring is made of steel.
16. **(Original)** The flywheel assembly of claim 10 incorporated into an outboard motor.

Serial No.: 10/805,937
Art Unit: 3747
Examiner: KAMEN, Noah P.
Page 4 of 6

17. **(Currently Amended)** A flywheel assembly comprising:
a ring having an inner diameter;
a flywheel having an outer diameter and an opening for mounting to a crankshaft of an engine;
the outer diameter being of the flywheel being smaller than the inner diameter of the ring; and
a flexible membrane disposed between the inner diameter of the ring and the outer diameter of the flywheel and constructed to prevent contact therebetween.
18. **(Original)** The flywheel assembly of claim 17 further comprising a ring gear attached to the flywheel and constructed to engage a starter gear of an engine.
19. **(Original)** The flywheel assembly of claim 17 wherein the ring is press fit to the flywheel with the flexible membrane therebetween.
20. **(Original)** The flywheel assembly of claim 17 wherein the flexible membrane is an elastomer material having a resonance that dampens torsional resonance of an engine.
21. **(Previously Presented)** The flywheel assembly of claim 17 wherein the flexible membrane is attached to the ring.
22. **(Original)** The flywheel assembly of claim 17 attached to an engine incorporated into a watercraft.
23. **(Original)** The flywheel assembly of claim 17 attached to an engine incorporated into an outboard motor.
24. **(Original)** The flywheel assembly of claim 17 wherein the flywheel further comprises another diameter that is larger than the inner diameter of the ring.
25. – 26. **(Canceled)**